

BIBLIOGRAFIA TORAYMYXIN

N.	AUTORI	TITOLO	PUBBLICAZIONE
135	Kumagai T., Takeyama N., Yabuki T., Harada M., Miki Y., Kanou H., Inoue S., Nakagawa T., Noguchi H.	APHERESIS OF ACTIVATED LEUKOCYTES WITH AN IMMOBILIZED POLYMYXIN B FILTER IN PATIENTS WITH SEPTIC SHOCK	Shock. 2010 Apr. 6
134	Kushi H., Miki T., Sakagami Y., Sato J., Saito T., Tanioh K.	HEMOPERFUSION WITH A POLYMYXIN B FIBER COLUMN DECREASES CLOTTING ACTIVITY	Therapeutic Apheresis and Dialysis 13(6):528-533; 2009
133	Takeda S., Munakata R., Abe S., Mii S., Suzuki M., Kashiwada T., Azuma A., Yamamoto T., Gemma A., Tanaka K.	HYPERCYTOKINEMIA WITH 2009 PANDEMIC H1N1 (pH1N1) INFLUENZA SUCCESSFULLY TREATED WITH POLYMYXIN B-IMMOBILIZED FIBER COLUMN HEMOPERFUSION	Intensive Care Med. DOI 10.1007/s00134-010-1830-8
132	Kushi H., Miki T., Sakagami Y., Sato J., Saito T., Tanioh K.	HEMOPERFUSION WITH AN IMMOBILIZED POLYMYXIN B FIBER COLUMN DECREASES MACROPHAGE AND MONOCYTE ACTIVITY	Therapeutici Apheresis and Dialysis 13(6): 515-519; 2009
131	Abe S., Seo Y., Hayashi H., Matsuka K., Usuki J., Azuma A., Kudoh S., Gemma A.	NEUTROPHIL ADSORPTION BY POLYMYXIN B-IMMOBILIZED FIBER COLUMN FOR ACUTE EXACERBATION IN PATIENTS WITH INTERSTITIAL PNEUMONIA: A PILOT STUDY	Blood Purification 2010; 29:1-6
130	Zagli G., Bonizzoli M., Spina R., Cianchi G., Pasquini A., Anichini V., Matano S., Tarantini F., Di Filippo A., Maggi E., Peris A.	EFFECTS OF HEMOPERFUSION WITH AN IMMOBILIZED POLYMYXIN-B FIBER COLUMN ON CYTOKINE PLASMA LEVELS IN PATIENTS WITH ABDOMINAL SEPSIS	Minerva Anestesiologica 2010; Vol. 76, N.4; pp. 1-8
129	Hayward J., Venn R.	Commentary - RECENTLY PUBLISHED PAPERS: A REVIEW OF NOVEL STRATEGIES IN THE PREVENTION OF HOSPITAL-ACQUIRED INFECTIONS, THE ABILITY OF INTENSIVISTS TO PERFORM ECHOCARDIOGRAPHY, AND THE BENEFIT OF POLYMYXIN B HAEMOPERFUSION IN ABDOMINAL SEPSIS	Critical Care 2009 - Vol. 13, No. 4
128	Cruz D.N., Antonelli M., Fumagalli R., Foltran F., Brienza N., Donati A., Malcangi V., Petrini F., Volta G., Bobbio Pallavicini F.M., Rottoli F., Giunta F., Ronco C.	EARLY USE OF POLYMYXIN B HEMOPERFUSION IN ABDOMINAL SEPTIC SHOCK The EUPHAS Randomized Controlled Trial	JAMA, June 17, 2009 - Vol. 301, No. 23; pp. 2445-2452
127	Nakamura T, Fujiwara N, Sato E, Kawagoe Y, Ueda Y, Yamada S, Koide H.	EFFECT OF POLYMYXIN B-IMMOBILIZED FIBER HEMOPERFUSION ON SERUM HIGH MOBILITY GROUP BOX-1 PROTEIN LEVELS AND OXIDATIVE STRESS IN PATIENTS WITH ACUTE RESPIRATORY DISTRESS SYNDROME	ASAIO J. 2009 Jul-Aug;55(4):395-9

126	Takazono T, Izumikawa K, Tsurutani J, Tanaka A, Kakugawa T, Fukuda Y, Saito M, Kurihara S, Imamura Y, Seki M, Kakeya H, Yamamoto Y, Yanagihara K, Kohno S	LEMIERRE'S SYNDROME FOLLOWED BY ACUTE RESPIRATORY DISTRESS SYNDROME SUCCESSFULLY RESCUED BY ANTIBIOTICS AND HEMOPERFUSION WITH POLYMYXIN B-IMMOBILIZED FIBER	Jpn J Infect Dis. 2009 Mar;62(2):133-6.
125	Mitaka C, Tsuchida N, Kawada K, Nakajima Y, Imai T, Sasaki S.	A LONGER DURATION OF POLYMYXIN B-IMMOBILIZED FIBER COLUMN HEMOPERFUSION IMPROVES PULMONARY OXYGENATION IN PATIENTS WITH SEPTIC SHOCK.	Shock. 2009 Mar 13.
124	Mitaka C, Tsuchida N, Kawada K, Nakajima Y, Imai T, Sasaki S.	EARLY INDUCTION OF PMX-DHP IMPROVES OXYGENATION IN SEVERE SEPSIS PATIENTS WITH ACUTE LUNG INJURY	Hiroshima J Med Sci. 2008 Dec;57:79-84
123	Nishibori M, Takahashi HK, Katayama H, Mori S, Saito S, Iwagaki H, Tanaka N, Morita K, Ohtsuka A	SPECIFIC REMOVAL OF MONOCYTES FROM PERIPHERAL BLOOD OF SEPTIC PATIENTS BY POLYMYXIN B-IMMOBILIZED FILTER COLUMN	Acta Med Okayama. 2009 Feb;63(1):65-9
122	Murakami M, Miyauchi Y, Nishida M, Okada H, Hamano K.	DIRECT HEMOPERFUSION USING POLYMYXIN-B IMMOBILIZED FIBER FOR SEPTIC SHOCK AFTER CARDIAC SURGERY	Circ J. 2009 Apr;73(4):658-61
121	Shimizu T, Hanasawa K, Sato K, Umeki M, Koga N, Naganuma T, Sato S, Shimonishi T, Ikeda T, Matsuno N, Ono S, Saitoh H, Satoh K, Otani Y, Endo Y, Eguchi Y, Tani T.	THE CLINICAL SIGNIFICANCE OF SERUM PROCALCITONIN LEVELS FOLLOWING DIRECT HEMOPERFUSION WITH POLYMYXIN B-IMMOBILIZED FIBER COLUMN IN SEPTIC PATIENTS WITH COLORECTAL PERFORATION	Eur Surg Res. 2009;42(2):109-17
120	Kanesaka S, Sasaki J, Kuzume M, Narihara K, Takahashi Y.	EFFECT OF DIRECT HEMOPERFUSION USING POLYMYXIN B IMMOBILIZED FIBER ON INFLAMMATORY MEDIATORS IN PATIENTS WITH SEVERE SEPSIS AND SEPTIC SHOCK	Int J Artif Organs. 2008 Oct;31(10):891-7
119	Kase Y, Obata T, Okamoto Y, Iwai K, Saito K, Yokoyama K, Takinami M, Tanifuji Y.	REMOVAL OF 2-ARACHIDONYLGLYCEROL BY DIRECT HEMOPERFUSION THERAPY WITH POLYMYXIN B IMMOBILIZED FIBERS BENEFITS PATIENTS WITH SEPTIC SHOCK	Ther Apher Dial. 2008 Oct;12(5):374-80
118	Nakamura T, Sugaya T, Koide H	URINARY LIVER-TYPE FATTY ACID-BINDING PROTEIN IN SEPTIC SHOCK: EFFECT OF POLYMYXIN B-IMMOBILIZED FIBER HEMOPERFUSION	Shock. 2009 May;31(5):454-9

117	Ebihara I, Hirayama K, Kaneko S, Nagai M, Ogawa Y, Fujita S, Usui J, Mase K, Yamagata K, Kobayashi M	VASCULAR ENDOTHELIAL GROWTH FACTOR AND SOLUBLE FMS-LIKE TYROSINE KINASE-1 IN SEPTIC SHOCK PATIENTS TREATED WITH DIRECT HEMOPERFUSION WITH A POLYMYXIN B-IMMOBILIZED FIBER COLUMN	Ther Apher Dial. 2008 Aug;12(4):285-91
116	Kushi H, Miki T, Sakagami Y, Sato J, Saito T, Tanjoh K	EARLY HEMOPERFUSION WITH A POLYMYXIN B COLUMN IMPROVES GASTRIC INTRAMUCOSAL PH IN SEPSIS	Ther Apher Dial. 2008 Aug;12(4):278-84
115	Kawahira T, Tsukube T, Hayashi T, Kozawa S, Ogawa K	SUCCESSFUL MANAGEMENT OF RUPTURED AORTIC ARCH ANEURYSM INFECTED WITH METHICILLIN-RESISTANT STAPHYLOCOCCUS AUREUS	Kyobu Geka. 2008 Sep;61(10):861-5
114	Ooishi K, Etou T, Koga S, Kawabe S, Uno T	THE EFFECT OF OPERATING TIME OF PMX-DHP ON DECREASE OF PLATELETS	Masui. 2008 Aug;57(8):948-52
113	Kimura Y, Sato K, Tokuda H, Hashiguchi T, Maruyama I, Orito E, Dohi Y, Joh T.	COMBINATION THERAPY WITH DIRECT HEMOPERFUSION USING POLYMYXIN B-IMMOBILIZED FIBER AND ORAL VANCOMYCIN IMPROVES FULMINANT PSEUDOMEMBRANOUS COLITIS BY REDUCING THE ELEVATED ENDOGENOUS CANNABINOIDS AND INFLAMMATORY CYTOKINES: REPORT OF A CASE	Hepatogastroenterology. 2008 May-Jun;55(84):956-8
112	Shimizu T, Hanasawa K, Sato K, Umeki M, Koga N, Naganuma T, Sato S, Shimonishi T, Ikeda T, Matsuno N, Ono S, Saitoh H, Satoh K, Otani Y, Endo Y, Eguchi Y, Tani T;	DIRECT HEMOPERFUSION WITH POLYMYXIN-B-IMMOBILIZED FIBER COLUMNS IMPROVES SEPTIC HYPOTENSION AND REDUCES INFLAMMATORY MEDIATORS IN SEPTIC PATIENTS WITH COLORECTAL PERFORATION	Langenbecks Arch Surg. 2009 Mar;394(2):303-11. Epub 2008 Aug 7
111	Sakamoto Y, Mashiko K, Obata T, Matsumoto H, Hara Y, Kutsukata N, Yamamoto Y.	RELATIONSHIP BETWEEN TREATMENT RESISTANCE TO HEMOPERFUSION USING A POLYMYXIN B-IMMOBILIZED FIBER COLUMN AND OXIDATIVE STRESS	ASAIO J. 2008 Jul-Aug;54(4):412-57
110	Omayu S, Kadokura M, Shibuya Y, Kitami A, Nakajima H.	CASE OF ACUTE RESPIRATORY DISTRESS SYNDROME TREATED WITH DIRECT HEMOPERFUSION USING A POLYMYXIN B IMMOBILIZED FIBER COLUM	Nihon Kokyuki Gakkai Zasshi. 2008 May;46(5):404-10

109	Kakugawa T, Mukae H, Saito M, Ishii K, Ishimoto H, Sakamoto N, Takazono T, Fukuda Y, Ooe N, Kohno S	RAPIDLY PROGRESSIVE INTERSTITIAL PNEUMONIA ASSOCIATED WITH CLINICALLY AMYOPATHIC DERMATOMYOSITIS SUCCESSFULLY TREATED WITH POLYMYXIN B-IMMOBILIZED FIBER COLUMN HEMOPERFUSION	Intern Med. 2008;47(8):785-90
108	Enomoto N, Suda T, Uto T, Kato M, Kaida Y, Ozawa Y, Miyazaki H, Kuroishi S, Hashimoto D, Naito T, Fujisawa T, Matsui T, Inui N, Nakamura Y, Sato J, Mizuguchi T, Kato A, Chida K	POSSIBLE THERAPEUTIC EFFECT OF DIRECT HAEMOPERFUSION WITH A POLYMYXIN B IMMOBILIZED FIBRE COLUMN (PMX-DHP) ON PULMONARY OXYGENATION IN ACUTE EXACERBATIONS OF INTERSTITIAL PNEUMONIA	Respirology. 2008 May;13(3):452-60
107	Guadagni G, Cruz D, Shoji H, Ronco C	TORAYMYXIN AND OTHER ENDOTOXIN ADSORPTION SYSTEMS	Critical Care Nephrology Book- 2nd edition;1557-1560
106	Nakamura T, Suzuki T, Kawagoe Y, Koide H.	POLYMYXIN B-IMMOBILIZED FIBER HEMOPERFUSION ATTENUATES INCREASED PLASMA ATRIAL NATRIURETIC PEPTIDE AND BRAIN NATRIURETIC PEPTIDE LEVELS IN PATIENTS WITH SEPTIC SHOCK	ASAIO J. 2008 Mar-Apr;54(2):210-3
105	Sakamoto Y, Mashiko K, Obata T, Matsumoto H, Hara Y, Kutsukata N, Yamamoto Y.	EFFECTIVENESS OF CONTINUOUS HEMODIAFILTRATION USING A POLYMETHYLMETHACRYLATE MEMBRANE HEMOFILTER AFTER POLYMYXIN B-IMMOBILIZED FIBER COLUMN THERAPY OF SEPTIC SHOCK	ASAIO J. 2008 Jan-Feb;54(1):129-32
104	Sakamoto Y, Mashiko K, Obata T, Matsumoto H, Hara Y, Kutsukata N, Yamamoto Y.	INTRAOPERATIVE ENDOTOXIN ADSORPTION AS A NEW THERAPEUTIC OPTION FOR MYCOTIC AORTIC ANEURYSM	Circ J. 2008 Jan;72(1):161-3
103	Yoshida T, Kodama M, Tamura Y, Shishido K, Shishido N, Ishihara H, Matumoto T, Rinka H, Kaji A	DIRECT HEMOPERFUSION WITH A POLYMYXIN B-IMMOBILIZED FIBER COLUMN ELIMINATES NEUTROPHILS AND IMPROVES PULMONARY OXYGENATION--A COMPARISON OF TWO CASES WITH ACUTE EXACERBATION OF IDIOPATHIC PULMONARY FIBROSIS	Nihon Kokyuki Gakkai Zasshi. 2007 Nov;45(11):890-7
102	Sakamoto Y, Mashiko K, Obata T, Matsumoto H, Hara Y, Kutsukata N, Yamamoto Y	CLINICAL RESPONSES AND IMPROVEMENT OF SOME LABORATORY PARAMETERS FOLLOWING POLYMYXIN B-IMMOBILIZED FIBER TREATMENT IN SEPTIC SHOCK	ASAIO J. 2007 Sep-Oct;53(5):646-50

101	Noma S, Matsuyama W, Mitsuyama H, Suetsugu T, Koreeda Y, Mizuno K, Higashimoto I, Kakihana Y, Hashiguchi T, Maruyama I, Osame M, Arimura K.	TWO CASES OF ACUTE EXACERBATION OF INTERSTITIAL PNEUMONIA TREATED WITH POLYMYXIN B-IMMOBILIZED FIBER COLUMN HEMOPERFUSION TREATMENT	Intern Med. 2007;46(17):1447-54
100	Murakami M, Miyauchi Y, Nishida M, Okada H, Hamano K	EARLY INITIATION OF POLYMYXIN B-IMMOBILIZED FIBER THERAPY EFFECTIVE FOR SEPTIC SHOCK AFTER AORTIC REPLACEMENT	Ann Thorac Cardiovasc Surg. 2007 Aug
99	Kimura Y, Sato K, Tokuda H, Nakamura N, Dohi Y, Orito E, Mizokami M	EFFECTS OF COMBINATION THERAPY WITH DIRECT HEMOPERFUSION USING POLYMYXIN B-IMMOBILIZED FIBER AND ORAL VANCOMYCIN ON FULMINANT PSEUDOMEMBRANOUS COLITIS WITH SEPTIC SHOCK	Dig Dis Sci. 2007 Mar;52(3):675-8
98	Sakamoto Y, Mashiko K, Matsumoto H, Hara Y, Kutsukata N, Takei K, Ueno Y, Tomita Y, Yamamoto Y	EFFECT OF DIRECT HEMOPERFUSION WITH A POLYMYXIN B IMMOBILIZED FIBER COLUMN ON HIGH MOBILITY GROUP BOX-1 (HMGB-1) IN SEVERE SEPTIC SHOCK: REPORT OF A CASE	ASAIO J. 2006 Nov-Dec;52(6):
97	Sakata H, Yonekawa M, Kawamura A	BLOOD PURIFICATION THERAPY FOR SEPSIS	Transfus Apher Sci. 2006 Dec;35(3):245-51
96	Kushi H, Miki T, Nakahara J, Okamoto K, Kawahara Y, Saito T, Tanjoh K	HEMOPERFUSION WITH AN IMMOBILIZED POLYMYXIN B FIBER COLUMN IMPROVES TISSUE OXYGEN METABOLISM	Ther Apher Dial. 2006 Oct;10(5):430-5
95	Kushi H, Miki T, Nakahara J, Okamoto K, Kawahara Y, Saito T, Tanjoh K	HEMOPERFUSION WITH AN IMMOBILIZED POLYMYXIN B FIBER COLUMN REDUCES CIRCULATING INTERLEUKIN-8 CONCENTRATIONS	Ther Apher Dial. 2006 Oct;10(5):425-9
94	Perego AF, Morabito S, Graziani G, Casella GP, Parodi O.	POLYMYXIN-B DIRECT HEMOPERFUSION (PMX-DHP) IN GRAM NEGATIVE SEPSIS]	G Ital Nefrol. 2006 May-Jun;23 Suppl 36:S94-102
93	Seo Y, Abe S, Kurahara M, Okada D, Saito Y, Usuki J, Azuma A, Koizumi K, Kudoh S	BENEFICIAL EFFECT OF POLYMYXIN B-IMMOBILIZED FIBER COLUMN (PMX) HEMOPERFUSION TREATMENT ON ACUTE EXACERBATION OF IDIOPATHIC PULMONARY FIBROSIS	Intern Med. 2006;45(18):1033-8. Epub 2006 Oct 16

92	Ikeda T, Kanehara S, Ohtani T, Furukawa F.	ENDOTOXIN SHOCK DUE TO VIBRIO VULNIFICUS INFECTION	Eur J Dermatol. 2006 Jul-Aug;16(4):423-7
91	Naka T, Shinozaki M, Akizawa T, Shima Y, Takaesu H, Nasu H	THE EFFECT OF CONTINUOUS VENO-VENOUS HEMOFILTRATION OR DIRECT HEMOPERFUSION WITH POLYMYXIN B-IMMOBILIZED FIBER ON NEUTROPHIL RESPIRATORY OXIDATIVE BURST IN PATIENTS WITH SEPSIS AND SEPTIC SHOCK	Ther Apher Dial. 2006 Feb;10(1):7-11
90	Poster No. P77 - Di Giacinto I., Pigna A., Zangheri E., Ambretti S., Melotti R.M., Di Nino G. Poster No. P86 - Pratesi F., Rubino A., Pescini A., Forfori F., Abramo A., Berrugi M., Giunta F. Poster No. P90 - Perego A., Morabito S., Casella GP., Campolo J., Parodi O.	Poster No.P77 - THE ENDOTOXIN ACTIVITY ASSAY VALUE IN THE SURGICAL INTENSIVE CARE UNIT Poster No.P86 - SEVERE SEPSIS AND SEPTIC SHOCK: A SURVEY OF 41 MONTHS OF ACTIVITY IN A POLYVALENT INTENSIVE CARE UNIT Poster No.P90 - DIRECT POLIMYXYN-B HEMOPERFUSION REDUCES INFLAMMATORY RESPONSE AND ACUTE OXIDATIVE STRESS IN GRAM-NEGATIVE SEPSIS	Sepsis 2008 Programe and Abstract Book - Granada 19-22 November 2008
89	Kushi H., Miki T., Sakagami Y., Saito T., Tanjoh K.	CRITERIA FOR DIRECT HEMOPERFUSION WITH AN IMMOBILIZED POLYMYXIN B FIBER COLUMN BASED ON OXYGEN METABOLISM	Therapeutic Apheresis and Dialysis Vol. 12, No.4, 2008; pp.292-297 doi: 10.1111/j.1744-9987.2008.00590.x
88	O' Brien J.M., Jr, Naeem A Ali and Edward Abraham	YEAR IN REVIEW 2007: CRITICAL CARE - MULTIPLE ORGAN FAILURE AND SEPSIS	Critical Care 2008, 12:228 (doi:10.1186/cc6950) Scaricabile on-line: http://ccforum.com/content/12/5/228
87	Cantaluppi V., Assenzio B., Pasero D., Mauriello Romanazzi G., Pacitti A., Lanfranco G., Puntorieri V., Martin E. L., Mascia L., Monti G., Casella G., Segoloni G.P., Camussi G., Ranieri V.M.	POLYMYXIN-B HEMOPERFUSION INACTIVATES CIRCULATING PROAPOPTOTIC FACTORS	Intensive Care Med. DOI 10.1007/s00134-008-1124-6 Scaricabile on-line: http://www.springerlink.com/content/d40n447751846223/
86	Ruberto F, Pugliese F, D'Alio A, Martelli S, Bruno K, Marcellino V, Summonti D., Celli P., Perrella S, Cappannoli A, Pietropaoli C., Tosi A, Diana B., Novelli G, Rossi M, Ginanni Corradini S, Ferretti G, Berloco P.B., Pietropaoli P.	CLINICAL EFFECTS OF DIRECT HEMOPERFUSION USING A POLYMYXIN-B IMMOBILIZED COLUMN IN SOLID ORGAN TRANSPLANTED PATIENTS WITH SIGNS OF SEVERE SEPSIS AND SEPTIC SHOCK. A PILOT STUDY	The International Journal of Artificial Organs; Vol 30; no.10, 2007; pp.915-922

85	Ruberto F, Pugliese F, D'Alio A, Martelli S, Bruno K, Marcellino V, Perrella S, Cappannoli A, Mazzarino V, Tosi A, Novelli G, Rossi M, Ginanni Corradini S, Ferretti G, Berloco PB, Pietropaoli P.	CLINICAL EFFECTS OF USE POLYMYXIN B FIXED ON FIBERS IN LIVER TRANSPLANT PATIENTS WITH SEVERE SEPSIS OR SEPTIC SHOCK	Trans. Proc. 2007Jul-Aug; 39(6): 1953-5
84	Kellum J. A.	A TARGETED EXTRACORPOREAL THERAPY FOR ENDOTOXINEMIA: THE TIME HAS COME	Critical Care 2007; Vol 11, No.3
83	Cruz D.N., Perazella M.A., Bellomo R., De Cal M., Polanco N., Corradi V., Lentini P., Nalesso F., Ueno T., Ranieri V.M., Ronco C.	EFFECTIVENESS OF POLYMYXIN B-IMMOBILIZED FIBER COLUMN IN SEPSIS: A SYSTEMATIC REVIEW	Critical Care 2007; Vol 11, No.2
82	Casella G., Monti G., Terzi V., Pulici M., Ravizza A., Vescovi S.,	TERAPIE "NON-CONVENZIONALI" NELLO SHOCK SETTICO REFRATTARIO: ESPERIENZA CLINICA CON POLYMYXIN B	Minerva Anestesiologica 2006; Vol. 72, Suppl. 1 al N.6; pp. 63-67
81	1. Vesentini S., Soncini M., Zaupa A., Silvestri V., Fiore G.B., Redaelli A - 2. Fiore G.B., Soncini M., Vesentini S., Penati A., Visconti G., Redaelli A.	1. MULTI-SCALE ANALYSIS OF THE TORAYMYXIN ADSORPTION CARTRIDGE PART I: MOLECULAR INTERACTION OF POLYMYXIN B WITH ENDOTOXINS - 2. MULTI-SCALE ANALYSIS OF THE TORAYMYXIN ADSORPTION CARTRIDGE PART II: COMPUTATIONAL FLUID-DYNAMIC STUDY	The International Journal of Artificial Organs 2006; Vol.29, no.2; pp.239-250 / 251-260
80	Nakamura T., Kawagoe Y., Ueda Y., Koide H.	POLYMYXIN B-IMMOBILIZED FIBER HEMOPERFUSION WITH LOW PRIMING VOLUME IN AN ELDERLY SEPTIC SHOCK PATIENT WITH MARKED ENDOTOXINEMIA	ASAIO Journal 2005; pp.482-484
79	Ramunni A.	SISTEMA CON POLIMIXINA B NEL TRATTAMENTO DELLO SHOCK SETTICO	Tecniche Nefrologiche e Dialitiche 2006; pp.253-259
78	Yonekawa C., Nakae H., Tajimi K., Asanuma Y.	COMBINING CONTINUOUS ENDOTOXIN APHERESIS AND CONTINUOUS HEMOFILTRATION IN THE TREATMENT OF PATIENTS WITH SEPTIC MULTIPLE ORGAN DYSFUNCTION SYNDROME	Therapeutic Apheresis and Dialysis 2006; Vol. 10 n.1; pp.19-24
77	Kojika M., Sato N., Yaegashi Y., Suzuki Y., Suzuki K., Nakae H., Endo S.	ENDOTOXIN ADSORPTION THERAPY FOR SEPTIC SHOCK USING POLYMYXIN B-IMMOBILIZED FIBERS (PMX): EVALUATION BY HIGH-SENSITIVITY ENDOTOXIN ASSAY AND MEASUREMENT OF THE CYTOKINE PRODUCTION CAPACITY	Therapeutic Apheresis and Dialysis 2006; Vol. 10 n.1; pp.12-18
76	Naka T., Shinozaki M., Akizawa T., Shima Y., Takaesu H., Nasu H.	THE EFFECT OF CONTINUOUS VENO-VENOUS HEMOFILTRATION OR DIRECT HEMOPERFUSION WITH POLYMYXIN B-IMMOBILIZED FIBER ON NEUTROPHIL RESPIRATORY OXIDATIVE BURST IN PATIENTS WITH SEPSIS AND SEPTIC SHOCK	Therapeutic Apheresis and Dialysis 2006; Vol. 10 n.1; pp.7-11

75	Kushi H., Miki T., Nakahara J., Okamaoto K., Saito T., Tanjoh K.	HEMOPERFUSION WITH AN IMMOBILIZED POLYMYXIN B COLUMN REDUCES THE BLOOD LEVEL OF NEUTROPHIL ELASTASE	Blood Purification 2006; 24; pp.212-217
74	Ronco C.	THE PLACE OF EARLY HAEMOPERFUSION WITH POLYMYXIN B FIBRE COLUMN IN THE TREATMENT OF SEPSIS	Critical Care 2005; Vol.9 No.6; pp.631-633
73	Kushi H., Miki T., Okamaoto K., Nakahara J., Saito T., Tanjoh K.	EARLY HEMOPERFUSION WITH AN IMMOBILIZED POLYMYXIN B FIBER COLUMN ELIMINATES HUMORAL MEDIATORS AND IMPROVES PULMONARY OXYGENATION	Critical Care 2005; Vol.9 No.6; pp. R653-R661
72	Perego A., Morabito S., Casella G., Campolo J., Brando B., Massei R., Morra S., Radrizzani D., Vescovi S., Graziani G., Parodi O.	STATO REDOX E PROFILO DELLE CITOKINE NELLA SEPSI DA GRAM-NEGATIVI TRATTATA CON EMOPERFUSIONE DIRETTA CON POLIMIXINA-B. STUDIO PILOTA	V Congresso Nazionale Gruppo di Studio Aferesi Terapeutica, Bologna 25-26 novembre 2005
71	1. Perego A. - 2. Brienza N., Lacaita E., Donadio I., Dalfino L. - 3. Lacaita E., Malcangi V., Dalfino L., Donadio I., Andriola M., Brienza N.(112) - 4. Pinzani R., Fasce R., Ricca B., Garavini L., De Lucia Lumeno A., Bassetti M., Valbonesi M., Patrone P., Varnier O.E., Bobbio Pallavicini F.M.(113) - 5. Viola G., Fraganza F., Alaia A., Pelella R.(115)	1. Relaz.: STATO REDOX E CITOCHINE NELLA SEPSI DA GRAM-NEGATIVI TRATTATA CON EMOPERFUSIONE DIRETTA CON POLYMYXINA B (PMX-DHP) - 2. Relaz.: EMOPERFUSIONE CON POLIMIXINA B: RISULTATI CLINICI - 3. Comun. Poster: EFFETTI DELLA EMOPERFUSIONE CON POLIMIXINA B SULLA FUNZIONE D'ORGANO IN PAZIENTI CON SEPSI ADDOMINALE CHIRURGICA - 4. Comun. Poster: TRATTAMENTO PRECOCE E MULTIDISCIPLINARE NELLA SEPSI MENINGOCOCCICA: CASE REPORT - 5. Comun. Poster: UTILIZZO DELLA PROTEINA C ATTIVATA E DI EMOPERFUSIONE CON FILTRO ALLA POLIMIXINA B FISSATA NEL TRATTAMENTO DELLA SEPSI MENINGOCOCCICA: CASE REPORT	Congresso SIAARTI Bari 3-6 ottobre 2005
70	Hanora A., Plieva F.M., Hedström M, Galaev Igor Yu, Mattiasson B.	CAPTURE OF BACTERIAL ENDOTOXINS USING A SUPERMACROPOROUS MONOLITHIC MATRIX WITH IMMOBILIZED POLYETHYLENIMINE, LYSOZYME OR POLYMYXIN B	Journal of Biotechnology 2005; 118; pp.421-433
69	Ueno T., Sugino M., Remoto H., Shoji H., Kakita A., Watanabe M..	EFFECT OVER TIME OF ENDOTOXIN ADSORPTION THERAPY IN SEPSIS	Therapeutic Apheresis and Dialysis 2005; 9(2); pp.128-136
68	Kushi H., Nakahara J., Miki T., Okamoto K., Saito T., Tanjo K.	HEMOPERFUSION WITH AN IMMOBILIZED POLYMYXIN B FIBER COLUMN INHIBITS ACTIVATION OF VASCULAR ENDOTHELIAL CELLS	Therapeutic Apheresis and Dialysis 2005; 9(4); pp.303-307
67	Tsujimoto H., Ono S., Hiraki S., Majima T., Kawarabayashi N., Sugawara H., Kinoshita M., Hiraide H., Mochizuki H..	HEMOPERFUSION WITH POLYMYXIN B-IMMOBILIZED FIBERS REDUCED THE NUMBER OF CD16+CD14+ MONOCYTES IN PATIENTS WITH SEPTIC SHOCK	Journal of Endotoxin Research 2004; Vol.10; No.4; pp.229-237

66	Tsushima k., Kubo K., Koizumi T., Yamamoto H., Fujimoto K..	DIRECT HEMOPERFUSION USING A POLYMYXIN B IMMOBILIZED COLUMN IMPROVES ACUTE RESPIRATORY DISTRESS SYNDROME	V Congresso Nazionale Gruppo di Studio Aferesi Terapeutica, Bologna 25-26 novembre 2005
65	Monti G., Casella G., Terzi V., Ravizza A., Vesconi S..	EMOPERFUSIONE SU COLONNA DI POLIMIXINA B NELLO SHOCK SETTICO SEVERO. UN'ESPERIENZA CLINICA	Congresso SMART Milano 11-13 maggio 2005, comunicazioni libere
64	Vincent J.L., Laterre P.F., Cohen J., Burchardi H., Bruining H., Lerma F.A., Wittebole X., De Backer D., Brett S., Mrazo D., Nakamura H. John S.	A PILOT-CONTROLLED STUDY OF A POLYMYXIN B-IMMOBILIZED HEMOPERFUSION CARTRIDGE IN PATIENTS WITH SEVERE SEPSIS SECONDARY TO INTRA-ABDOMINAL INFECTION	SHOCK, Vol. 23, No.5, pp. 400-405, 2005
63	Nakamura T, Kawagoe Y, Matsuda T, Ueda Y, Koide H.	EFFECTS OF POLYMYXIN B IMMOBILIZED FIBER ON URINARY N-ACETYL-BETA-GLUCOSAMINIDASE IN PATIENTS WITH SEVERE SEPSIS	ASAIO J., 2004, Nov-Dec, 50(6), pp.563-567
62	Ono S., Tsujimoto H., Matsumoto A., Ikuta S., Kinoshita M., Mochizuki H.	MODULATION OF HUMAN LEUKOCYTE ANTIGEN-DR ON MONOCYTES AND CD16 ON GRANULOCYTES IN PATIENTS WITH SEPTIC SHOCK USING HEMOPERFUSION WITH POLYMYXIN B-IMMOBILIZED FIBER	The American Journal of Surgery, 2004, vol. 188, n.2, pp.150-156
61	Nakamura T., Kawagoe Y., Matsuda T., Koide H.	EFFECT OF POLYMYXIN B-IMMOBILIZED FIBER ON BONE RESORPTION IN PATIENTS WITH SEPSIS	Intensive Care Med., 2004, n.30, pp.1838-1841
60	Nakamura T., Kawagoe Y., Matsuda T., Shoji H., Ueda Y., Tamura N., Ebihara I. Koide H.	EFFECT OF POLYMYXIN B-IMMOBILIZED FIBER ON BLOOD METALLOPROTEINASE-9 AND TISSUE INHIBITOR OF METALLOPROTEINASE-1 LEVELS IN ACUTE RESPIRATORY DISTRESS SYNDROME PATIENTS	Blood Purification, 2004, n. 22, pp.256-260
59	Cosimini P, Piccinni P.	BLOOD PURIFICATION NELLA SEPSI: UN'IPOTESI DA PERSEGUIRE	AeR 2003 Dic., Ed. Pacinieditore,4(12): 328-329
58	Solinas L, Piredda G, Foddanu R, Mulas F, Cart B, Susini G	UTILIZZO DELL'EMOPERFUSIONE DIRETTA CON LA CARTUCCIA ASSORBENTE DI FIBRE COMPOSITE CON POLIMIXINA B IMMOBILIZZATA NEI PAZIENTI AFFETTI DA SEPSI GRAVE: ASPETTI EMODINAMICI	Aferesi Terapeutica, Ed. Bios sas,©2003: 224-225
57	Nakamura T, Matsuda T, Suzuki Y, Shoji H, Koide H	POLYMYXIN B-IMMOBILIZED FIBER HEMOPERFUSION IN PATIENTS WITH SEPSIS	Dialysis & Transplantation 2003 Oct.; 32(10): 602-607
56	Nakamura T, Kawagoe Y, Matsuda T, Ebihara I, Koide H.	EFFECTS OF POLYMYXIN B-IMMOBILIZED FIBER HEMOPERFUSION ON AMINO ACID IMBALANCE IN SEPTIC ENCEPHALOPATHY.	Blood Purif. 2003;21(4-5):282-6.

55	Kunitomo T, Shoji H.	ENDOTOXIN REMOVAL BY TORAYMYXIN	Contrib Nephrol. 2001;(132):415-20. No abstract available
54	Tetta C, Bellomo R, Ronco C.	ARTIFICIAL ORGAN TREATMENT FOR MULTIPLE ORGAN FAILURE, ACUTE RENAL FAILURE, AND SEPSIS: RECENT NEW TRENDS.	Artif Organs. 2003 Mar;27(3):202-13.
53	Nakamura T, Ushiyama C, Suzuki Y, Osada S, Inoue T, Shoji H, Hara M, Shimada N, Koide H.	HEMOPERFUSION WITH POLYMYXIN B-IMMOBILIZED FIBER IN SEPTIC PATIENTS WITH METHICILLIN-RESISTANT STAPHYLOCOCCUS AUREUS-ASSOCIATED GLOMERULONEPHRITIS	Nephron Clin Pract. 2003;94(2):c33-9.
52	Uriu K, Osajima A, Kamochi M, Watanabe H, Aibara K, Kaizu K.	THE SEVERITY OF HYPERDYNAMIC CIRCULATION MAY PREDICT THE EFFECTS OF DIRECT HEMOPERFUSION WITH THE ADSORBENT COLUMN USING POLYMYXIN B-IMMOBILIZED FIBER IN PATIENTS WITH GRAM-NEGATIVE SEPTIC SHOCK	Ther Apher. 2001 Feb;5(1):25-30.
51	Matsuno N, Ikeda T, Ikeda K, Hama K, Iwamoto H, Uchiyama M, Kozaki K, Narumi Y, Kikuchi K, Degawa H, Nagao T.	CHANGES OF CYTOKINES IN DIRECT ENDOTOXIN ADSORPTION TREATMENT ON POSTOPERATIVE MULTIPLE ORGAN FAILURE.	Ther Apher. 2001 Feb;5(1):36-9.
50	Hoshiai K, Hattan N, Fukuyama N, Tadaki F, Hida M, Saito A, Nakanishi N, Hattori Y, Nakazawa H.	INCREASED PLASMA TETRAHYDROBIOPTERIN IN SEPTIC SHOCK IS A POSSIBLE THERAPEUTIC TARGET.	Pathophysiology. 2001 Mar;7(4):275-281.
49	Tsuzuki H, Tani T, Ueyama H, Kodama M.	LIPOPOLYSACCHARIDE: NEUTRALIZATION BY POLYMYXIN B SHUTS DOWN THE SIGNALING PATHWAY OF NUCLEAR FACTOR KAPPAB IN PERIPHERAL BLOOD MONONUCLEAR CELLS, EVEN DURING ACTIVATION.	J Surg Res. 2001 Sep;100(1):127-34.
48	H. Shoji	EXTRACORPOREAL ENDOTOXIN REMOVAL FOR THE TREATMENT OF SEPSIS: ENDOTOXIN ADSORPTION CARTRIDGE (TORAYMYXIN)	Therapeutic Apheresis and Dialysis (2003) 7(1): 108-114
47	Suzuki H, Nemoto H, Nakamoto H, Okada H, Sugahara S, Kanno Y, Moriwaki K.	CONTINUOUS HEMODIAFILTRATION WITH POLYMYXIN-B IMMOBILIZED FIBER IS EFFECTIVE IN PATIENTS WITH SEPSIS SYNDROME AND ACUTE RENAL FAILURE.	Ther Apher. 2002 Jun;6(3):234-40.
46	Tsugawa, Koyanagi N, Hashizume M, Akahoshi K, Wada H, Ayukawa K, Tomikawa M, Sugimachi K.	THERAPEUTIC STRATEGY OF EMERGENCY SURGERY FOR COLON CANCER IN 71 PATIENTS OVER 70 YEARS OF AGE IN JAPAN.	Hepatogastroenterology. 2002 Mar-Apr;49(44):393-8.

45	Tsugawa K, Koyanagi N, Hashizume M, Wada H, Ayukawa K, Akahoshi K, Tomikawa M, Sugimachi K	RESULTS OF ENDOTOXIN ABSORPTION AFTER A SUBTOTAL RESECTION OF THE SMALL INTESTINE AND A RIGHT HEMICOLECTOMY FOR SEVERE SUPERIOR MESENTERIC ISCHEMIA	Hepatogastroenterology. 2002 Sep-Oct;49(47):1303-6
44	T. Nakamura, C. Ushiyama, Y. Suzuki, T. Inoue, H. Shojix, N. Shimada and H. Koide	COMBINATION THERAPY WITH POLYMYXIN B-IMMOBILIZED FIBRE HAEMOPERFUSION AND TEICOPLANIN FOR SEPSIS DUE TO METHICILLINRESISTANT STAPHYLOCOCCUS AUREUS	Journal of Hospital Infection (2003) 53: 58±63
43	V. Kohey et al.	ENDOTOXIN REMOVAL BY DIRECT HEMOPERFUSION WITH AN ADSORBENT COLUMN USING POLYMYXIN-B IMMOBILIZED FIBERS AMELIORATE SYSTEMIC CIRCULATORY DISTURBANCE IN PATIENTS WITH SEPTIC SHOCK.	Am. J. Of Kidney disease vol 39, N5 (May) 2002, pp 937-947
42	Aquarola, Albanese et al.	TREATMENT OF SEPSIS WITH TORAYMYXIN: TWO CASES	Congresso A.P.I.C.E. Trieste – Novembre 2002
41	T. Nakamura et al.	EFFECTS OF HEMOPERFUSION ON SERUM CARDIAC TROPONIN T CONCENTRATIONS USING POLYMYXIN-B IMMOBILIZED FIBERS IN SEPTIC PATIENTS UNDERGOING HEMODIALYSIS	ASAIO Journal 2002.
40	H. Nemoto et al.	NEWLY DEVELOPED IMMOBILIZED POLYMYXIN B FIBERS IMPROVE THE SURVIVAL OF PATIENTS WITH SEPSIS	Blood Purif, 2001, n.19, pp.361-369.
39	T. Tani et al.	CORRELATION BETWEEN PLASMA ENDOTOXIN; PLASMA CYTOKINES AND PLASMINOGEN ACTIVATOR INHIBITOR ACTIVITIES IN SEPTIC PATIENTS	World J. Surg., 2001, vol.25, n.5, pp.659-668.
38	Y. Asanuma et al.	THE APPLICATION OF IMMOBILIZED POLYMYXIN B FIBER IN THE TREATMENT OF SEPTIC SHOCK ASSOCIATED WITH SEVERE ACUTE PANCREATITIS: REPORT OF TWO CASES	Surg Today Jpn J Surg, 1999, n.29, pp.1177-1182.
37	C. Ronco, A. Brendolan, M. Scabardi, F. Ronco, H. Nakamura	BLOOD FLOW DISTRIBUTION IN A POLYMYXIN B COATED FIBROUS BED FOR ENDOTOXIN REMOVAL. EFFECT OF A NEW BLOOD PATH DESIGN	The International Journal of Artificial Organs, 2001, vol.24, n.3, pp.167-172
36	Y. Wang et al.	POLYMYXIN B BINDS TO ANANDAMIDE AND INHIBITS ITS CYTOTOXIC EFFECT	FEBS Letters, 2000, 470, pp.151-155.
35	T. Tani	REVIEW OF ENDOTOXIN-ADSORBING DIRECT HEMOPERFUSION THERAPY USING A COLUMN CONTAINING POLYMYXIN B IMMOBILIZED FIBER	Current Opinion in Critical Care, 2000, 6, pp.416-420.

34	T. Tani, M. Kodama	ENDOTOXIN REMOVAL THERAPY (PMX) FOR THE TREATMENT OF SEVERE SEPSIS AND ACCOMPANIED RENAL REPLACEMENT THERAPY (CIIF; CHDF; HD) – IMPROVEMENTS OF ORGAN DYSFUNCTION	Kidney and Dialysis, 1999, 47, pp.11-19.
33	T. Maekawa, K. Yabuki	EFFECTIVENESS OF THE ENDOTOXIN ABSORPTION METHOD IN PATIENTS WITH COLON PERFORATION	The Japanese Journal of Clinical Surgery, 1998, 59, pp.2734-2739.
32	N. Matsuno, T. Ikeda	STUDY OF ACUTE BLOOD PURIFICATION THERAPY AFTER ABDOMINAL EMERGENCY SURGERY	Intensive & Critical Care Medicine, 1999, 11, pp.119-120.
31	T. Tani, M. Kodama	ENDOTOXIN REMOVAL THERAPY (PMX) FOR THE TREATMENT OF SEVERE SEPSIS IN CONJUNCTION WITH OTHER RENAL REPLACEMENT THERAPY – THERAPEUTICAL CONSEQUENCES OF PMX THERAPY AS THE PRECEDENT BLOOD PURIFICATION FOR SEVERE SEPSIS	Kidney and Dialysis, 1998, 45, pp.701-708.
30	H. Nemoto, H. Nakamoto	TREATMENT OF GRAM-NEGATIVE BACTEREMIA AND SEPTIC SHOCK WITH NEWLY DEVELOPED POLYMYXIN B IMMOBILIZED FIBER COLUMN	Saitama Medical School
29	T. Tani, K. Hanasawa	THERAPEUTIC APHERESIS SEPTIC PATIENTS WITH ORGAN DYSFUNCTION: HEMOPERFUSION USING A POLYMYXIN B IMMOBILIZED COLUMN	Artificial Organs, 1998, 22 (12), pp.1038-1044.
28		A COLLECTION CASE REPORT	Japanese Intensive Care 1995-1996-1998; Hiroshima Med. Assoc. 1995; Gastrenterol Surgery 1996; Japanese Surgical Infectious Disease Research 1996-1997; West Japan Urology 1997; Intensive Care Medicine vol.10 1998; Kidney and Dialysis 1998-1999
27	T. Nakamura et al.	TREATMENT WITH POLYMYXIN B IMMOBILIZED FIBER REDUCED PLATELET ACTIVATION IN SEPTIC SHOCK PATIENTS: DECREASE IN PLASMA LEVELS OF SOLUBLE P-SECTION, PLATELET FACTOR 4 AND THROMBOGLOBULIN	Inflamm. Res., 1999, 48, pp.171-175.
26	T. Nakamura et al.	HEMOPERFUSION WITH POLYMYXIN B IMMOBILIZED FIBER ATTENUATES THE INCREASED PLASMA LEVELS OF THROMBOMODULIN AND VON WILLERBRAND FACTOR FROM PATIENTS WITH SEPTIC SHOCK	Blood Purif., 1998, 16, pp.179-186.

25	T. Nakamura et al.	CHANGE IN PLASMA ERITHROPOIETIN AND INTERLEUKIN-6 CONCENTRATIONS IN PATIENTS WITH SEPTIC SHOCK AFTER HEMOPERFUSION WITH POLYMYXIN B IMMOBILIZED FIBER	Intensive Care Med., 1998, pp.1272-1276.
24	T. Nakamura et al.	MODULATION OF PLASMA METALLOPROTEINASE-9 CONCENTRATION AND PERIPHERAL BLOOD MONOCYTE mRNA LEVELS IN PATIENTS WITH SEPTIC SHOCK: EFFECT OF FIBER IMMOBILIZED POLYMYXIN B TREATMENT	Am. J. Med. Sci., 1998, 316, pp.355-360.
23	I. Ebihara et al.	EFFECT OF HEMOPERFUSION WITH POLYMYXIN B IMMOBILIZED FIBER ON PLASMA ENDOTHELIN-1 AND ENDOTHELIN-1 mRNA IN MONOCYTES FROM PATIENTS WITH SEPSIS	Am. J. Kidney Disease, 1998, 32, pp.953-961.
22	T. Nakamura et al.	EFFECTS OF HEMOPERFUSION WITH POLYMYXIN B IMMOBILIZED FIBER ON SERUM NEOPTERIN AND SOLUBLE INTERLEUKIN-2 RECEPTOR CONCENTRATIONS IN PROTEINS WITH SEPTIC SHOCK	Journal of Infection, 1998, 37, pp.241-247.
21	H. Iwama, T. Komatsu	EFFECT OF A ENDOTOXIN REMOVING COLUMN CONTAINING IMMOBILIZED POLYMYXIN B FIBER IN A PATIENT WITH SEPTIC SHOCK FROM GRAM-POSITIVE INFECTION	Acta Anaesthesiol Scand., 1998, 42, pp.1-4.
20	H. Shoji et al.	EXTRACORPOREAL ENDOTOXIN REMOVAL BY POLYMYXIN B IMMOBILIZED FIBER CARTRIDGE: DESIGNING AND ANTIENDOTOXIN EFFICACY IN THE CLINICAL APPLICATION	Therapeutic Apheresis, 1998, 2, pp.3-12.
19	B. L. Jaber et al.	ENDOTOXIN REMOVAL BY POLYMYXIN B IMMOBILIZED POLYSTYRENE DERIVATIVE FIBER DURING IN VITRO HEMOPERFUSION OF 10% HUMAN PLASMA	ASAIO Journal, 1998, 44, pp.54-61.
18	B. L. Jaber et al.	REMOVAL OF CYTOKINE INDUCED SUBSTANCES BY POLYMYXIN B IMMOBILIZED POLYSTYRENE DERIVATIVE FIBER DURING IN VITRO HEMOPERFUSION OF 10% HUMAN PLASMA CONTAINING STAPHYLOCOCCUS AUREUS CHALLENGE	ASAIO Journal, 1998, 44, pp.48-53.
17	H. Okada et al.	AN EXPERIENCE OF THE THERAPEUTIC USE OF AN ENDOTOXIN ADSORPTION COLUMN FOR MICROANGIOPATHIC HAEMOLYTIC URAEMIC SYNDROME	Nephrology Dialysis Transplantation, 1997,12, p.1774.

16	M. Kodama et al.	TREATMENT OF SEPSIS BY PLASMA ENDOTOXIN REMOVAL: HEMOPERFUSION USING A POLYMYXIN B IMMOBILIZED COLUMN	Journal of Endotoxin Research, 1997,4, pp.293-300
15	P. S. Malchesky et al.	EXTRACORPOREAL TECHNIQUES OF ENDOTOXIN REMOVAL: A REVIEW OF ART AND SCIENCE	Advances in Renal Replacement Therapy, 1995, 2, pp.60-69.
14	H. Aoki et al.	TREATMENT OF SEPTIC SHOCK BY EXTRACORPOREAL ELIMINATION OF ENDOTOXIN USING FIBER IMMOBILIZED POLYMYXIN B	Am. J. Surg., 1994, 167, pp.412-417.
13	H. Aoki et al.	TREATMENT OF SEPTIC SHOCK BY EXTRACORPOREAL ELIMINATION OF ENDOTOXIN USING FIBER IMMOBILIZED POLYMYXIN B	Therapeutic Plasmapheresis, 1993, 12, pp.519-522.
12	M. Kodama et al.	HEMOPERFUSION USING A POLYMYXIN B IMMOBILIZED FIBER COLUMN FOR THE REMOVAL OF ENDOTOXIN	Excerpta Medica, 1993, pp.389-398.
11	Y. Sakai et al.	NEW EXTRACORPOREAL BLOOD PURIFICATION DEVICES FOR CRITICAL CARE MEDICINE UNDER DEVELOPMENT	Therapeutic Plasmapheresis, 1993, 12, pp.837-842.
10	T. Sato et al.	EXPERIMENTAL STUDY OF EXTRACORPOREAL PERFUSION FOR SEPTIC SHOCK	ASAIO Journal, 1993, 39, pp.790-793.
9	T. Tani et al.	ENDOTOXIN REMOVAL FROM HEMOGLOBIN SOLUTION USING POLYMYXIN B IMMOBILIZED FIBER (PMX-F) FOLLOWED BY A NEW TURBIDOMETRIC ENDOTOXIN ASSAY	Biomat. Art. Cells & Immob. Biotech., 1992, 20, pp.457-462.
8	M. Kodama et al.	NEW THERAPEUTIC AGAINST SEPTIC SHOCK – REMOVAL OF ENDOTOXIN USING EXTRACORPOREAL CIRCULATION	Adv. Exp. Med. Biol., 1990, 256, pp.653-654.
7	K. Hanasawa et al.	NOVEL MECHANICAL ASSISTANCE IN THE TREATMENT OF ENDOTOXIC AND SEPTICEMIC SHOCK	Trans. Am. Soc. Artif. Intern. Organs, 1989, 35, pp.341-343.
6	K. Hanasawa et al.	NEW APPROACH TO ENDOTOXIC AND SEPTIC SHOCK BY MEANS OF POLYMYXIN B IMMOBILIZED FIBER	Surgery Gynecology Obstetrics, 1989, 168, pp.323-331.
5	K. Hanasawa et al.	SELECTIVE REMOVAL OF ENDOTOXIN FROM THE BLOOD BY EXTRACORPOREAL HEMOPERFUSION WITH POLYMYXIN B IMMOBILIZED FIBER	Perspective in shock research, 1988, pp.337-341.

4	H. Aoki et al.	COMPARATIVE STUDY BETWEEN PMX-F AND OTHER ADSORBENTS FOR TREATMENT OF ENDOTOXIN SHOCK	Therapeutic Plasmapheresis, 1988, 7, pp.345-350.
3	K. Hanasawa et al.	ATTACHMENT OF POLYMYXIN B SULFATE TO POLYMYXIN FIBER	Therapeutic Plasmapheresis, 1985, 4, pp.171-175.
2	K. Hanasawa et al.	A NEW TREATMENT FOR ENDOTOXEMIA WITH DIRECT HEMOPERFUSION BY POLYMYXIN IMMOBILIZED FIBER	Therapeutic Plasmapheresis, 1984, 3, pp.1679-170.
1	K. Hanasawa et al.	COMPARISON BETWEEN PMX-F AND RESIN IN DETOXIFYING ENDOTOXIN-INDUCED PYROGENICITY AND LETHALITY	Therapeutic Apheresis, 1984, 3, pp.159-163.